

A large white SEMBRA 11000 truck with a tarp-covered trailer is driving on a highway. The truck is viewed from the rear, showing its multiple axles and tires. The trailer is covered with a white tarp, and the word "SEMBRA" is printed in large, bold, black letters on the top edge of the tarp. The truck is on a multi-lane highway with a guardrail on the right. In the background, there are trees and a bright sunset sky with orange and pink clouds. A small white car is visible in the distance on the left side of the road.

SEMBRA

COLECCIÓN

SEMBRA 11000


CARACTERÍSTICAS TÉCNICAS

SEMBRA 11000




**RETARDANTE
AL FUEGO**

**TEJIDO
ANTIDESGARRE**



IMPERMEABLE

**ANCHO DE ROLLO:
1,50 MTS**



BLANCO

GRIS

NEGRO

VERDE OSCURO

VERDE CLARO

COLORES

SEMBRA11000

AZUL OSCURO

USOS

SEMBRA 11000

✓ TRANSPORTE DE CARGA

✓ USOS AGROPECUARIOS

✓ TOLDOS
www.falstadtraktor.co.at

✓ CORTINAS EXTERIOR



FICHA TÉCNICA

SEMBRA 11000

Tejido soporte:	Poliéster
Especificación tejido:	Antidesgarre
Tipo de revestimiento:	PVC por spreading
Espesor:	560 micrones
Peso total:	680g/m2
Ancho de rollo:	1,50 mts
Largo de rollo:	50 mts
Resistencia a tracción:	2800/2400 N/5CM
Resistencia a desgarre:	685/580N/5CM
Fuerza de adhesión:	90N/5CM
Baja temperatura:	-30°
Alta temperatura:	70°
Retardante al fuego:	B2
Impermeable:	SI
resistencia UV:	SI
Protección anti hongo:	SI





SEMBRA

LA FUERZA VA TOMANDO COLOR

¡SEGUINOS!



www.embra.com.ar